

L Number	Hits	Search Text	DB	Time stamp
1	14	spare adj link\$1 same topology	USPAT; US-PGPUB	2003/02/06 21:11
2	9	fujitsu.asn. and spare adj (link\$1 capacit\$3)	USPAT; US-PGPUB	2003/02/06 22:36

L Number	Hits	Search Text	DB	Time stamp
1	1	"6430150"	USPAT; US-PGPUB	2003/02/06 12:37
2	13	badt.in.	USPAT; US-PGPUB	2003/02/06 12:54
-	47	370/216-228.ccls. and topology.ab,ti.	USPAT; US-PGPUB	2003/02/06 12:35
-	16	topology with (spare\$1 reserve) and restoration	USPAT; US-PGPUB	2001/10/08 20:50
-	0	topology with (spare\$1 reserve) with map\$4 and restoration	USPAT; US-PGPUB	2001/10/08 20:50
-	3	topology with (spare\$1 reserve) with map\$4	USPAT; US-PGPUB	2001/10/08 20:50
-	4	topology with map same (spare\$1 reserve)	USPAT; US-PGPUB	2001/10/08 20:51
-	1	(topology with map same (spare\$1 reserve)) not (topology with (spare\$1 reserve) with map\$4)	USPAT; US-PGPUB	2001/10/08 20:51
-	14	keep adj alive and 370/216-228.ccls.	USPAT; US-PGPUB	2001/10/08 20:56
-	46	precomput\$4 and restoration	USPAT; US-PGPUB	2001/10/08 20:57
-	44	(precomput\$4 and restoration) not (370/216-228.ccls. and topology.ab,ti.)	USPAT; US-PGPUB	2001/10/08 20:57
-	10	((precomput\$4 and restoration) not (370/216-228.ccls. and topology.ab,ti.)) and map	USPAT; US-PGPUB	2001/10/08 21:00
-	0	((precomput\$4 and restoration) not (370/216-228.ccls. and topology.ab,ti.)) and map\$3 with spare\$1	USPAT; US-PGPUB	2001/10/08 20:57
-	8	restoration and map\$3 with spare\$1	USPAT; US-PGPUB	2001/10/08 20:57
-	17	((precomput\$4 and restoration) not (370/216-228.ccls. and topology.ab,ti.)) and map\$3	USPAT; US-PGPUB	2001/10/08 21:00
-	8	((precomput\$4 and restoration) not (370/216-228.ccls. and topology.ab,ti.)) and 370/\$.ccls.	USPAT; US-PGPUB	2001/10/08 21:03
-	13	port same node same field and 370/216-228.ccls.	USPAT; US-PGPUB	2001/10/08 21:06
-	2853	(370/216-228,241-251,254-256).CCLS.	USPAT; US-PGPUB	2002/08/15 13:24
-	52	((370/216-228,241-251,254-256).CCLS.) and port\$1 same node\$1 same field\$1	USPAT; US-PGPUB	2001/10/08 21:09
-	39	((370/216-228,241-251,254-256).CCLS.) and port\$1 same node\$1 same field\$1) not (port same node same field and 370/216-228.ccls.)	USPAT; US-PGPUB	2001/10/08 21:12
-	492	(spare\$1 (available extra) adj capacit\$3) same (topolog\$3 map\$3)	USPAT; US-PGPUB	2001/10/08 21:14
-	3	spare\$1 with map\$3 same topolog\$3	USPAT; US-PGPUB	2001/10/08 21:13
-	51	((spare\$1 (available extra) adj capacit\$3) same (topolog\$3 map\$3)) and ((370/216-228,241-251,254-256).CCLS.)	USPAT; US-PGPUB	2001/10/08 21:18
-	7	map\$3 with spare\$1 and ((370/216-228,241-251,254-256).CCLS.)	USPAT; US-PGPUB	2001/10/08 21:35
-	5	"08/493,477"	USPAT; US-PGPUB	2001/10/08 21:22
-	1	("5646936").PN.	USPAT; US-PGPUB	2001/10/09 06:30
-	2	((("5646936") or ("5835482"))).PN.	USPAT; US-PGPUB	2001/10/09 06:30
-	33	"5646936"	USPAT; US-PGPUB	2001/10/09 06:35
-	1	("5212475").PN.	USPAT; US-PGPUB	2001/10/09 07:15
-	1	("5680326").PN.	USPAT; US-PGPUB	2001/10/09 07:47
-	2861	(370/216-228,241-251,254-256).CCLS.	USPAT; US-PGPUB	2001/10/09 08:12

-		0	(("370/216-228,241-251,254-256").CCLS.) and mnitor\$3 with spare\$1 o	USPAT; US-PGPUB	2001/10/09 08:13
-	556670	48	((("370/216-228,241-251,254-256").CCLS.) and monitor\$3 with spare\$1	USPAT; US-PGPUB	2001/10/09 08:12
-		2	((("370/216-228,241-251,254-256").CCLS.) and monitor\$3 with spare\$1) and keep adj alive	USPAT; US-PGPUB	2001/10/09 08:13
-		3318	(370/216-228,241,242,244,245,248,250-252,254\$PAS).CCLS	USPAT; US-PGPUB	2002/03/30 14:09
-		285	((370/216-228,241,242,244,245,248,250-252,254\$PAS\$).CCIS and @pd>=20011007	USPAT; US-PGPUB	2002/03/30 14:10
-		6	keep adj alive with spare	USPAT; US-PGPUB	2002/04/04 21:28
-		5	spare adj link\$3 and keep adj alive	USPAT; US-PGPUB	2002/04/04 21:34
-		12	monitor\$3 with spare adj capacity	USPAT; US-PGPUB	2002/04/04 21:34
-		24	mci.asn. and spare.ab,ti.	USPAT; US-PGPUB	2002/04/04 21:53
-		0	mci.asn. and 370/216-228	USPAT; US-PGPUB	2002/04/04 21:53
-		52	mci.asn. and 370/216-228.ccls.	USPAT; US-PGPUB	2002/04/04 21:57
-		569	central\$4 and 370/216-228.ccls.	USPAT; US-PGPUB	2002/04/04 21:57
-		113	central\$4.ab,ti. and 370/216-228.ccls.	USPAT; US-PGPUB	2002/04/04 21:57
-		763	(370/535-536,542-544).CCLS.	USPAT; US-PGPUB	2002/04/05 21:54
-		25	(memory buffer\$3) with watermark\$3 same request\$3	USPAT; US-PGPUB	2002/04/05 21:56
-		0	370/412-418 and fullness same request\$3	USPAT; US-PGPUB	2002/04/05 21:56
-		1	370/412-418 and fullness	USPAT; US-PGPUB	2002/04/05 21:56
-		0	370/412-418 and watermark	USPAT; US-PGPUB	2002/04/05 21:56
-		0	370/412-418 and watermark\$e	USPAT; US-PGPUB	2002/04/05 21:56
-		0	370/412-418 and watermark\$3	USPAT; US-PGPUB	2002/04/05 21:57
-		19	370/412-418.ccls. and watermark\$3	USPAT; US-PGPUB	2002/04/05 21:57
-		111	370/412-418.ccls. and thresholds	USPAT; US-PGPUB	2002/04/05 21:57
-		12	370/412-418.ccls. and thresholds.ab,ti.	USPAT; US-PGPUB	2002/04/05 21:58
-		33	370/412-418.ccls. and threshold with request\$3	USPAT; US-PGPUB	2002/04/05 22:00
-		7	370/412-418.ccls. and qos.ab,ti. and threshold	USPAT; US-PGPUB	2002/04/05 22:01
-		46	370/412-418.ccls. and threshold with increas\$3	USPAT; US-PGPUB	2002/04/05 22:03
-		107	370/236.ccls. and threshold	USPAT; US-PGPUB	2002/04/05 22:03
-		22	370/236.ccls. and threshold.ab,ti.	USPAT; US-PGPUB	2002/04/05 22:04
-		20	370/236.ccls. and threshold with increas\$3	USPAT; US-PGPUB	2002/04/05 22:06
-		32	370/236.ccls. and threshold and rate near2 increas\$3	USPAT; US-PGPUB	2002/04/05 22:07
-		7	370/236.ccls. and threshold same rate near2 increas\$3	USPAT; US-PGPUB	2002/04/05 22:08
-		70	guaranteed adj network	USPAT; US-PGPUB	2002/04/05 22:08
-		3	guaranteed adj network.ab,ti.	USPAT; US-PGPUB	2002/04/05 22:08
-		0	guaranteed adj network and non-guaranteed	USPAT; US-PGPUB	2002/04/05 22:08

	70	guaranteed adj network	USPAT; US-PGPUB	2002/04/05 22:09
	18	connection-oriented adj network.ab,ti.	USPAT; US-PGPUB	2002/04/05 22:10
	4	(("5103444") or ("5500860") or ("5633869") or ("5732078")).PN.	USPAT; US-PGPUB	2002/04/05 22:12
	39	"5732078"	USPAT; US-PGPUB	2002/04/05 22:20
	2	"6028862"	USPAT; US-PGPUB	2002/04/05 22:20
	5	(("5172372") or ("5179555") or ("5426637") or ("5463625") or ("5548578")).PN.	USPAT; US-PGPUB	2002/04/05 22:21
	6	((("5455826") or ("5579312") or ("5583857") or ("5675573") or ("5732078")) or ("5802040")).PN.	USPAT; US-PGPUB	2002/04/05 22:22
	3	"6075772"	USPAT; US-PGPUB	2002/04/05 22:22
	295	(origin\$5 source) adj node\$1 same topology	USPAT; US-PGPUB	2002/08/15 13:03
	161	(origin\$5 source) adj node\$1 with topology	USPAT; US-PGPUB	2002/08/15 13:08
	8	(origin\$5 source) adj node\$1 with topology and spare adj capacity	USPAT; US-PGPUB	2002/08/15 13:08
	7	(origin\$5 source) adj node\$1 with topology adj map	USPAT; US-PGPUB	2002/08/15 13:11
	12	(origin\$5 source) adj node\$1 same topology adj map\$3	USPAT; US-PGPUB	2002/08/15 13:11
	7	(origin\$5 source) adj node\$1 with topology adj map\$3	USPAT; US-PGPUB	2002/08/15 13:11
	12	(origin\$5 source) adj node\$1 same topology adj map	USPAT; US-PGPUB	2002/08/15 13:14
	1	node\$1 same topology adj map near3 (transmit\$3 receiv\$3 pass\$3)	USPAT; US-PGPUB	2002/08/15 13:16
	8	node\$1 same topology adj map with (transmit\$3 receiv\$3 pass\$3)	USPAT; US-PGPUB	2002/08/19 23:18
	386	370/216-228, 241-256.ccls. AND @PD>=20020330	USPAT; US-PGPUB	2002/08/15 13:25
	18	370/216-228, 241-256.ccls. AND @PD>=20020330 and topology.ab,ti.	USPAT; US-PGPUB	2002/08/15 18:27
	3	broadcast\$3 with topology with map	USPAT; US-PGPUB	2002/08/19 23:17
	20	topology adj map with (transmit\$3 receiv\$3 pass\$3)	USPAT; US-PGPUB	2002/08/19 23:18
	22	topology adj map\$1 with (transmit\$3 receiv\$3 pass\$3)	USPAT; US-PGPUB	2002/08/19 23:23
	384	connectivity near4 (transmit\$3 receiv\$3 pass\$3)	USPAT; US-PGPUB	2002/08/19 23:24
	56	connectivity near4 (transmit\$3 receiv\$3 pass\$3) same node\$1	USPAT; US-PGPUB	2002/08/19 23:24
	38	connectivity near4 (transmit\$3 receiv\$3 pass\$3) with node\$1	USPAT; US-PGPUB	2002/08/19 23:26
	113	connectivity near4 (transmit\$3 receiv\$3 pass\$3) and 370/.ccls.	USPAT; US-PGPUB	2002/08/19 23:27
	173	connectivity near4 (transmit\$3 receiv\$3 pass\$3) and (709/.ccls. 370/.ccls.)	USPAT; US-PGPUB	2002/08/19 23:27
	68	(connectivity near4 (transmit\$3 receiv\$3 pass\$3) and (709/.ccls. 370/.ccls.)) and topolog\$3	USPAT; US-PGPUB	2002/08/19 23:27
	1	20010030969.pn.	USPAT; US-PGPUB	2002/08/19 23:34
	0	"chan, jason".xa. and 359/.ccls.	USPAT; US-PGPUB	2002/08/20 22:29
	203	"chan, jason".xp. and 359/.ccls.	USPAT; US-PGPUB	2002/08/20 22:29
	8	"chan, jason".xa. and 370/.ccls.	USPAT; US-PGPUB	2002/08/20 22:30
	185	"chan, jason".xa.	USPAT; US-PGPUB	2002/08/20 22:32
	820	"pascal".xp,xa. and 359/.ccls.	USPAT; US-PGPUB	2002/08/20 22:32

-	1004	"negash".xp, xa. and 359/\$.cccls.	USPAT; US-PGPUB	2002/08/20 22:33
-	14	"negash".xp, xa. and 359/\$.cccls. and mach-zender	USPAT; US-PGPUB	2002/08/20 22:33
-	16	"negash".xp, xa. and 359/\$.cccls. and (mach adj zender mach-zender)	USPAT; US-PGPUB	2002/08/20 22:35
-	533	interferomet\$3 and even with odd	USPAT; US-PGPUB	2002/08/20 22:35
-	107	interferomet\$3 same even with odd	USPAT; US-PGPUB	2002/08/20 22:36
-	1	(mach-zender mach adj zender) same even with odd	USPAT; US-PGPUB	2002/08/20 22:36
-	1010	even with odd with channels	USPAT; US-PGPUB	2002/08/20 22:36
-	113	even with odd with channels and 359/\$.cccls.	USPAT; US-PGPUB	2002/08/20 22:37
-	1	even with odd with channels and 359/\$.cccls. and (mach adj zender mach-zender)	USPAT; US-PGPUB	2002/08/20 22:38
-	0	even with odd with channel and 359/\$.cccls. and (mach adj zender mach-zender)	USPAT; US-PGPUB	2002/08/20 22:38
-	1	5235599.pn.	USPAT; US-PGPUB	2002/08/23 13:35
-	54	"5235599"	USPAT; US-PGPUB	2002/08/23 13:41
-	320	(transmit\$3 receiv\$3) near4 (routing adj table topology adj map)	USPAT; US-PGPUB	2002/08/23 13:42
-	254	(transmit\$3 receiv\$3) near3 (routing adj table topology adj map)	USPAT; US-PGPUB	2002/08/23 13:48
-	154	(transmit\$3 receiv\$3) near3 (routing adj table topology adj map) and 370/\$.cccls.	USPAT; US-PGPUB	2002/08/23 13:48
-	95	(transmit\$3 receiv\$3) near3 (routing adj table topology adj map) and 370/\$.cccls. and node	USPAT; US-PGPUB	2002/08/23 13:48
-	32	(transmit\$3 receiv\$3) near3 (routing adj table topology adj map) with node and 370/\$.cccls.	USPAT; US-PGPUB	2002/08/24 20:12
-	423	"ho, tuan".xa.	USPAT; US-PGPUB	2002/08/24 20:02
-	13	"ho, tuan q".xa.	USPAT; US-PGPUB	2002/08/24 20:04
-	12	(("4825206") or ("4914571") or ("5987536") or ("5991204") or ("5049873") or ("5051987") or ("5093824") or ("5453979") or ("5477536") or ("5488608") or ("5699358") or ("5705998")).PN.	USPAT; US-PGPUB	2002/08/24 20:10
-	2	"6041049"	USPAT; US-PGPUB	2002/08/24 20:10
-	32	(transmit\$3 receiv\$3) near3 (routing adj table topology adj map) with node and 370/\$.cccls.	USPAT; US-PGPUB	2002/08/24 20:12
-	85	(transmit\$3 receiv\$3) near8 (routing adj table topology adj map) with node and 370/\$.cccls.	USPAT; US-PGPUB	2002/08/24 20:12
-	217	(transmit\$3 receiv\$3) near8 (routing adj table\$1 topology) with node and 370/\$.cccls.	USPAT; US-PGPUB	2002/08/24 20:13
-	99	(transmit\$3 receiv\$3) near8 (routing adj table\$1 topology near3 map\$3) with node and 370/\$.cccls.	USPAT; US-PGPUB	2002/08/24 20:43
-	67	((transmit\$3 receiv\$3) near8 (routing adj table\$1 topology near3 map\$3) with node and 370/\$.cccls.) not ((transmit\$3 receiv\$3) near3 (routing adj table topology adj map) with node and 370/\$.cccls.)	USPAT; US-PGPUB	2002/08/24 20:13

-	78	"4466060"	USPAT; US-PGPUB	2002/08/24 20:43
-	8	(transmit\$3 receiv\$3) with (routing adj table\$1 topology near3 map\$3) same node and "4466060"	USPAT; US-PGPUB	2002/08/24 20:45
-	80	(send\$3) with (routing adj table\$1 topology near3 map\$3) same node and 370/\$.ccls.	USPAT; US-PGPUB	2002/08/24 20:45
-	61	(send\$3) with (routing adj table\$1 topology near3 map\$3) with node and 370/\$.ccls.	USPAT; US-PGPUB	2002/08/24 20:46
-	72	(send\$3) with (routing adj table\$1 topology near3 map\$3) with node\$1 and 370/\$.ccls.	USPAT; US-PGPUB	2002/08/24 20:46
-	38	(send\$3) near5 (routing adj table\$1 topology near3 map\$3) with node\$1 and 370/\$.ccls.	USPAT; US-PGPUB	2002/08/24 20:46
-	2	satellite\$1.ab,ti. and port adj number\$3 with node\$1	USPAT; US-PGPUB	2002/08/24 21:42
-	3	satellite\$1.ab,ti. and port adj number\$3 with satellite\$1	USPAT; US-PGPUB	2002/08/24 21:42
-	64	satellite\$1.ab,ti. and port adj number\$3	USPAT; US-PGPUB	2002/08/24 21:43
-	4	exclusionary adj tree\$1	USPAT; US-PGPUB	2002/08/24 21:44
-	12	custodial adj node	USPAT; US-PGPUB	2002/08/24 22:27
-	7	chooser adj node and custodial adj node	USPAT; US-PGPUB	2002/08/24 22:50
-	492	370/216-228,241,242,244,245,248,250-252,254 USPATcccls. and @pd>=20020815	USPAT; US-PGPUB	2003/01/28 23:44
-	42	(370/254-258.cccls. 709/220,221,223,224,226.cccls.) and spare adj capacity	USPAT; US-PGPUB	2003/01/30 18:38
-	1367	(idle spare) near4 capacity	USPAT; US-PGPUB	2003/01/30 19:56
-	5263	370/254-258.cccls. 709/220,221,223,224,226.cccls.	USPAT; US-PGPUB	2003/01/30 18:38
-	77	(370/254-258.cccls. 709/220,221,223,224,226.cccls.) and ((idle spare) near4 capacity)	USPAT; US-PGPUB	2003/01/30 19:04
-	24	(idle spare) near4 topology	USPAT; US-PGPUB	2003/01/30 19:56
-	48	"5646936" "6061735"	USPAT; US-PGPUB	2003/01/31 15:44
-	9	(table\$1 database) with spare same topology	USPAT; US-PGPUB	2003/01/31 15:45
-	81	spare with capacity with (topology table\$1 database\$1)	USPAT; US-PGPUB	2003/01/31 15:48
-	89	(idle spare) with capacity with (topology table\$1 database\$1)	USPAT; US-PGPUB	2003/01/31 15:49
-	67	(worldcom.asn. mci.asn.) and (dra distributed adj restoration spare adj capacity)	USPAT; US-PGPUB	2003/02/02 21:52
-	20	(worldcom.asn. mci.asn.) and (keep adj alive monitor\$3 near4 spare adj (link\$1 capacity))	USPAT; US-PGPUB	2003/02/02 22:09
-	1	("6507561").PN.	USPAT; US-PGPUB	2003/02/02 22:14
-	1	("6324162").PN.	USPAT; US-PGPUB	2003/02/03 19:28
-	1	("5241534").PN.	USPAT; US-PGPUB	2003/02/03 19:58
-	11	"5914798"	USPAT; US-PGPUB	2003/02/03 19:58